KENDRIYA VIDYALAYA, EMBASSY OF INDIA, KATHMANDU, NEPAL PRACTICE PAPER 03 (2025-26) CHAPTER 07 COORDINATE GEOMETRY

SUBJECT: MATHEMATICS		MAX. MARKS: 40		
CLA	SS:X	$DURATION: 1\frac{1}{2} hrs$		
Gen	General Instructions:			
(i).	All questions are compulsory.			
(ii).	This question paper contains 20 questions divided into five Sections A	, B, C, D and E.		
(iii).	Section A comprises of 10 MCOs of 1 mark each. Section B comprise	ses of 4 questions of 2 mark		

each. Section C comprises of 3 questions of 3 marks each. Section D comprises of 1 question of 5

			<mark>ΓΙΟΝ – Α</mark> 10 carry 1 mark each.	
1.	Points A(3, 1), B(5 a and b are respect (a) a = 6, b = 3	ively	are vertices of a paralle (c) $a = 4$, $b = 2$	logram ABCD. The values of (d) None of these
	(a) $a = 0, 0 = 3$	(0) a - 2, 0 - 1	(c) a - 4, b - 2	(d) None of these
2.	If the distance betw $(a) -7 \text{ or } -1$	ween the points $(x, -1)$ an $(b) -7$ or 1	d (3, 2) is 5, then the va (c) 7 or 1	alue of x is (d) 7 or -1
3.	The ratio in which (a) 1: 2	x-axis divides the join of (b) 3:4	F(2, -3) and (5, 6) is: (c) 1: 3	(d) 1: 5
4.	Points A(-1, y) and (a) 1, -7	d B(5, 7) lie on a circle w (b) -1, 7	ith centre O(2, -3y). To	he values of y are $(d) -2, -7$
5.	If $C(1, -1)$ is the mid-point of the line segment AB joining points $A(4, x)$ and $B(-2, 4)$, then value of x is :			
	(a) 5	(b) - 5	(c) 6	(d) - 6
6.	The coordinate of p (a) (2, 0)	point P on X-axis equidis (b) (0, 2)	tant from the points A (c) (3, 0)	(-1, 0) and B (5, 0) is (d) (2, 2)
7. The ratio in which the line segment joining the points P(-3, 10) and Q(6, -8) is 6) is:				d $Q(6, -8)$ is divided by $O(-1, -8)$
	(a) 1:3	(b) 3:4	(c) 2:7	(d) 2:5
8.	The vertices of a partial (a) (6, 3)	arallelogram in order are (b) (3, 6)		(a) (1, 4) Then (x, y) is:
	the following gues	tions 0 and 10 a staton	nont of assortion (A)	is followed by a statement of

- (A).
- (d) Assertion (A) is false but reason (R) is true.
- 9. Assertion (A): The value of y is 3, if the distance between the points P(2, -3) and Q(10, y) is 10. **Reason (R):** Distance between two points is given by $\sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$

10. Assertion (A): The point (-1, 6) divides the line segment joining the points (-3, 10) and (6, -8)in the ratio 2:7 internally.

Reason (R): Given three points, i.e. A, B, C form an equilateral triangle, then AB = BC = AC.

$\underline{SECTION-B}$ Questions 11 to 14 carry 2 marks each.

- 11. Find the ratio in which the line segment joining the points (6, 4) and (1, -7) is divided by x-axis.
- 12. The line segment AB joining the points A(3, -4) and B(1, 2) is trisected at the points P(p, -2)and Q(5/3, q). Find the values of p and q.
- 13. What point on the x-axis is equidistant from (7, 6) and (-3, 4)?
- **14.** Use distance formula to show that the points A(-2, 3), B(1, 2) and C(7, 0) are collinear.

$\frac{SECTION - C}{\text{Questions 15 to 17 carry 3 marks each.}}$

- 15. Show that the points A(1, 2), B(5, 4), C(3, 8) and D(-1, 6) are the vertices of a square.
- 16. If A(5, 3), B(11, -5) and C(12, y) are vertices of a right triangle right angled at C, then find the value of *v*.

OR

Find the coordinates of the point of trisection of the line segment joining (1, -2) and (-3, 4). Ans: Let the points P and Q trisect AB.

17. In what ratio does the line x - y - 2 = 0 divide the line segment joining (3, -1) and (8, 9)?

Find the ratio in which the point (2, y) divides the line segment joining the points A(-2, 2) and B(3, 7). Also find the value of y.

$\frac{\underline{SECTION-D}}{\text{Questions 18 carry 5 marks.}}$

18. Find the centre of a circle passing through (5, -8), (2, -9) and (2, 1).


If the points (10, 5), (8, 4) and (6, 6) are the mid-points of the sides of a triangle, find its vertices.

<u>SECTION – E (Case Study Based Questions)</u> Questions 19 to 20 carry 4 marks each.


19. In the sport of cricket the Captain sets the field according to a plan. He instructs the players to take a position at a particular place. There are two reasons to set a cricket field—to take wickets and to stop runs being scored.

The following graph shows the position of players during a cricket match.

- (i) Find the coordinate of the point on y-axis which are equidistant from the points representing the players at Cover P(2, -5) and Mid-wicket Q(-2, 9)
- (ii) Find the ratio in which x-axis divides the line segment joining the points Extra Cover S(3, -3) and Fine Leg (-2, 7).



20. Aditya, Ritesh and Damodar are fast friend since childhood. They always want to sit in a row in the classroom. But teacher doesn't allow them and rotate the seats row-wise everyday. Ritesh is very good in maths and he does distance calculation everyday. He consider the centre of class as origin and marks their position on a paper in a co-ordinate system. One day Ritesh make the following diagram of their seating position marked Aditya as A, Ritesh as B and Damodar as C.



- (i) What is the distance between A and B? [1]
- (ii) What is the distance between B and C? [1]

(iii) A point D lies on the line segment between points A and B such that AD :DB = 4:3. What are the the coordinates of point D ? [2]

OR

(iii) If the point P(k, 0) divides the line segment joining the points A(2, -2) and B(-7, 4) in the ratio 1:2, then find the value of k[2]